

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2012 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4155	<i>Colorado Reef Lighted Buoy 26</i>	37-32-10.023N 122-33-09.011W	Fl R 2.5s			4	Red.	20/12
8195	* <i>Humboldt Bay Lighted Buoy 9</i>	40-45-25.657N 124-13-25.076W	Fl G 2.5s			4	Green.	20/12
*								
No corrections this week.								19/12
2830	ALAMITOS BAY EAST JETTY LIGHT 2	33-44-11.264N 118-07-13.143W	Fl R 2.5s	25	5	TR on Pile.		18/12
*								
158	<i>Scripps Waverider Lighted Research Buoy 092</i>	33-37-04.000N 118-19-01.000W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private aid.	18/12
* * * * *								
159	<i>Scripps Waverider Lighted Research Buoy 193</i>	33-37-04.020N 118-20-55.440W	Fl (5)Y 20s			Yellow sphere with whip antenna	Private aid.	18/12
* * * * *								
2517	<i>Scripps Waverider Lighted Research Buoy 092</i>						Remove from list.	18/12
*								
No corrections this week.								17/12
3740	RINCON ISLAND LIGHT	34-20-50.000N 119-26-44.000W	Fl W 6s		46	On skeleton tower.	HORN: 1 blast ev 15s (2s bl). Private aid.	16/12
* * * * *								
No corrections this week.								15/12

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2012 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2525	CHINA POINT LIGHT	32-48-13.050N 118-25-33.360W	Fl W 2.5s	112	4	NR on pile.	Visible from 260° to 128°, 14/12 partially obscured by hills elsewhere.
						*	
2535	PYRAMID COVE ANCHORAGE LIGHT	32-49-59.460N 118-22-59.982W	Fl R 4s	886	4	NR on post.	Visible from 307° to 040°, 14/12 partially obscured by hills elsewhere.
						*	
2540	NAVY ANCHORAGE SOUTH END LIGHT	32-58-30.690N 118-31-54.522W	Fl W 2.5s	140	4	NR on post.	Visible from 150° to 320°, 14/12 partially obscured by hills elsewhere.
						*	
2545	WILSON COVE LIGHT	33-00-14.058N 118-33-10.098W	Fl W 4s	125	4	NR on post.	Visible from 155° to 317°, 14/12 partially obscured by hills elsewhere.
						*	
2565	WILSON COVE NORTH END LIGHT	33-01-25.410N 118-33-49.884W	Fl W 6s	60	3	NR on post.	Visible from 139° to 330°, 14/12 partially obscured by hills elsewhere.
						*	
5560	CORTE MADERA CHANNEL LIGHT 11	37-56-18.120N 122-29-51.360W	Fl G 2.5s	9		SG on pile.	Private aid. 14/12
						*	
5590	CORTE MADERA CHANNEL LIGHT 17	37-56-32.640N 122-30-21.060W	Fl G 4s	9		SG on pile.	Private aid. 14/12
						*	

No corrections this week.

13/12

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2012 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2635	SHIP ROCK LIGHT	33-27-47.514N 118-29-30.036W	Fl W 4s		75	6	On Post.	12/12
5540	CORTE MADERA CHANNEL LIGHT 7	37-56-02.728N 122-29-07.905W	Fl G 2.5s		9		SG on pile. *	Private aid. * 12/12
5550	CORTE MADERA CHANNEL LIGHT 9	37-56-10.228N 122-29-28.906W	Fl G 2.5s		9		SG on pile. *	Private aid. * 12/12
5560	CORTE MADERA CHANNEL LIGHT 11	37-56-19.300N 122-29-46.000W	Fl G 2.5s		9		SG on pile. *	Private aid. * 12/12
5570	CORTE MADERA CHANNEL LIGHT 13	37-56-25.000N 122-30-02.000W	Fl G 2.5s		9		SG on pile. *	Private aid. * 12/12
5575	CORTE MADERA CHANNEL LIGHT 14	37-56-27.728N 122-30-00.907W	Fl R 4s		9		TR on pile. *	Private aid. * 12/12
5590	CORTE MADERA CHANNEL LIGHT 17	37-56-31.228N 122-30-21.908W	Fl G 4s		9		SG on pile. *	Private aid. * 12/12
6965	STOCKTON CHANNEL RANGE C FRONT LIGHT	38-02-42.029N 121-30-08.506W	Q W		30		KRW on pile. *	Visible all around; higher intensity on rangeline. 12/12
6970	STOCKTON CHANNEL RANGE C REAR LIGHT 300 yards, 306° from front light.	38-02-47.476N 121-30-17.863W	Iso W 6s		35		KRW on pile. *	Visible all around; higher intensity on rangeline. 12/12
288	<i>Monterey Bay (MBARI) Lighted Buoy (M1)</i>	36-45-27.600N 122-02-10.300W	Fl Y 4s				Yellow. *	Private aid. * 11/12
5305	San Francisco Bay South Channel Daybeacon 16	37-29-34.257N 122-05-12.986W					TR on pile. *	Ra ref. * 11/12
5310	San Francisco Bay South Channel Daybeacon 17	37-28-43.468N 122-04-37.315W					SG on pile. *	Ra ref. * 11/12
5315	San Francisco Bay South Channel Daybeacon 18	37-28-12.071N 122-03-49.953W					TR on pile. *	Ra ref. * 11/12

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2012 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
5185	REDWOOD CREEK ENTRANCE LIGHT 3	37-32-59.768 N 122-11-36.076 W	Fl G 4s		15	4	SG on Pile.	10/12
7840	Bodega Harbor Channel Daybeacon 13	38-18-44.772N 123-03-12.954W					SG on pile.	10/12
420	Point Arena Light	38-57-17.127N 123-44-26.158W	Fl W 15s		155	19	Light House 115	09/12
6380	POINT EDITH CROSSING SOUTH RANGE REAR LIGHT 436 yards, 236° from front light.	38-02-48.892N 122-05-36.849W	Iso W 6s		32		KRW on pile.	Visible all around; higher intensity on rangeline. Ra ref. 08/12
8255	SAMOA CHANNEL LIGHT 4	40-48-50.160N 124-10-46.086W	Fl R 4s		15	3	TR on pile.	08/12
203	PLATFORM HARVEST LIGHT						Remove from list.	07/12
4335	Point Blunt Light	37-51-11.572N 122-25-09.095W	Fl G 5s		60	13	White square house. 60	HORN: 1 blast ev 15s (2s bl). 07/12
8105	NOYO RIVER DIRECTIONAL LIGHT	39-25-38.236N 123-48-27.176W	F W R G		15		On pile.	White light in center of channel (103.5°-106.5°). Red light when right of inbound channel (100°- 103.5°). Green light when left of inbound channel (106.5°-110°). 07/12
181.8	<i>Scripps Waverider Lighted Research Buoy 184</i>						Remove from list.	06/12
297	<i>NOAA Environmental Lighted Buoy 46042</i>	36-47-03.718N 122-27-54.857W	Fl (4)Y 20s				Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration. 06/12
5860	SAN RAFAEL CREEK LIGHT 7	37-58-11.432N 122-29-37.900W	Fl G 2.5s		10	3	SG on pile.	Ra ref. 06/12
6833	SAN JOAQUIN RIVER LIGHT 40	38-06-09.331 N 121-36-57.289 W	Fl R 4s		15	3	TR on pile.	Ra ref. 05/12

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2012 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4157	<i>San Francisco Outfall South Research Buoy</i>	37-41-58.160N 122-34-32.970W	Fl Y 6s			Yellow.	Private aid.	04/12
*	*	*	*		*	*	*	*
4158	<i>San Francisco Outfall North Research Buoy</i>	37-42-29.330N 122-34-58.890W	Fl Y 6s			Yellow.	Private aid.	04/12
*	*	*	*		*	*	*	*
No corrections this week.								03/12
3325	<i>Redondo Harbor Entrance Lighted Bell Buoy RB</i>	33-50-21.354N 118-23-47.267W	Mo (A) W			5	Red and white stripes. No topmark will be shown on this aid as required by IALA standards due to weather.	02/12
5922	PINOLE SHOAL RANGE FRONT LIGHT	38-03-15.755N 122-19-26.181W	Fl G 2.5s		22	KRW on pile.	Visible 4° each side of the rangeline.	02/12
5923	PINOLE SHOAL RANGE REAR LIGHT	38-03-19.927N 122-19-17.696W	Iso G 6s		52	KRW on pile.	Visible 4° each side of rangeline.	02/12
6745	SAN JOAQUIN RIVER LIGHT 21	38-02-29.155 N 121-42-00.689 W	Fl G 6s		20	4		02/12
6760	SAN JOAQUIN RIVER LIGHT 25	38-03-37.723 N 121-40-49.225 W	Fl G 2.5s		16	3		02/12
6790	SAN JOAQUIN RIVER LIGHT 32	38-05-40.297 N 121-40-24.187 W	Fl R 2.5s		15	4		02/12
6797	SAN JOAQUIN RIVER LIGHT 33A	38-05-36.847 N 121-39-19.525 W	Fl G 4s		15	4		02/12
6833	SAN JOAQUIN RIVER LIGHT 40	38-06-09.331 N 121-36-57.289 W	Fl R 4s		15	3		02/12
6880	SAN JOAQUIN RIVER LIGHT 54	38-04-34.249 N 121-34-06.199 W	Fl R 2.5s		15	3		02/12
No corrections this week.								01/12