

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
<b>NO CORRECTIONS THIS WEEK</b>								<b>52/14</b>	
3122	LOS ANGELES MAIN CHANNEL RANGE FRONT LIGHT	33-43-09.699N 118-16-17.108W	Q Y		43	On skeleton tower.	Visible 4° each side of the rangeline. Lighted throughout 24 hours.	51/14	
<b>NO CORRECTIONS THIS WEEK</b>								<b>50/14</b>	
10 1485	<i>San Diego Bay Approach</i> <i>Lighted Whistle Buoy SD</i>	32-37-20.192N 117-14-45.128W	Mo (A) W			5	Red and white stripes with red spherical topmark.	RACON: M ( - - ) AIS MMSI: 993692029	49/14
1485 10	<i>San Diego Bay Approach</i> <i>Lighted Whistle Buoy SD</i>	32-37-20.192N 117-14-45.128W	Mo (A) W			5	Red and white stripes with red spherical topmark.	RACON: M ( - - )	49/14
2289.4	<i>Scripps "CORDC" Lighted Research Buoy</i>	32-52-23.880N 117-26-25.860W	FLY 4s				Yellow disk with skeleton tower.	Private Aid.	49/14
4080	<i>Santa Cruz Lighted Whistle Buoy SC</i>	36-56-20.365N 122-00-34.602W	Mo (A) W			4	Red and white stripes.	No topmark will be shown on this aid as required by IALA standards due to weather.	49/14
4160	<i>San Francisco Main Ship Channel Lighted Bell Buoy 1</i>	37-46-11.157N 122-37-55.637W	Iso G 6s			4	Green.		49/14
4165	<i>San Francisco Main Ship Channel Lighted Whistle Buoy 2</i>	37-45-48.008N 122-37-44.496W	Iso R 6s			4	Red.		49/14
6405	Seal Islands Channel Daybeacon 5	38-03-12.885N 122-03-22.241W					SG on pile.		49/14
8565	Lake Tahoe Restricted Area Daybeacon H	38-56-16.927N 120-01-45.381W					NW on white pile.		49/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
2395	DANA POINT BREAKWATER LIGHT 3	33-27-15.690N 117-41-29.575W	FIG 4s		32 5	SG on post.	HORN: 1 blast ev 10s (1s 48/14 bl). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.  *
3335	REDONDO BEACH EAST JETTY LIGHT 2	33-50-30.678N 118-23-38.935W	FIR 4s		20 5	TR on post.	HORN: 1 blast ev 10s (1s 48/14 bl). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.  *
3455	MARINA DEL REY LIGHT 3	33-57-46.101N 118-27-42.461W	FIG 4s		45 5	SG on post.	Obscured 151° to 331°. 48/14 HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.  *

## Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8530	Lake Tahoe Restricted Area Daybeacon A	38-56-41.223N 120-04-09.098W				NW on white pile.	48/14
		*					
8535	Lake Tahoe Restricted Area Daybeacon B	38-56-35.983N 120-03-52.341W				NW on white pile.	48/14
		*					
8540	Lake Tahoe Restricted Area Daybeacon C	38-56-30.577N 120-03-35.641W				NW on white pile.	48/14
		*					
8545	Lake Tahoe Restricted Area Daybeacon D	38-56-31.484N 120-03-22.763W				NW on white pile.	48/14
		*					
8550	Lake Tahoe Restricted Area Daybeacon E	38-56-32.154N 120-03-13.033W				NW on white pile.	48/14
		*					
8555	Lake Tahoe Restricted Area Daybeacon F	38-56-26.845N 120-02-50.974W				NW on white pile.	48/14
		*					
8560	Lake Tahoe Restricted Area Daybeacon G	38-56-18.541N 120-02-02.924W				NW on white pile.	48/14
		*					
8570	Lake Tahoe Restricted Area Daybeacon I	38-56-16.018N 120-01-27.706W				NW on white pile.	48/14
		*					
8575	Lake Tahoe Restricted Area Daybeacon J	38-56-14.814N 120-01-09.930W				NW on white pile.	48/14
		*					
8590	Lake Tahoe Restricted Area Daybeacon M	38-58-54.905N 119-57-22.473W				NW on white pile.	48/14
		*					

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
2535	PYRAMID COVE ANCHORAGE LIGHT						Remove from list.	47/14
3085	INNER HARBOR INTAKE SOUTH LIGHT	33-45-57.065N 118-13-20.250W	Q W		7	On deck of pier.	* Private Aid.	47/14
3090	INNER HARBOR INTAKE NORTH LIGHT	33-45-59.065N 118-13-21.250W	* Q W		7	On deck of pier.	Private Aid.	47/14
6110	VALLEJO YACHT CLUB LIGHT 1	38-06-17.100N 122-16-03.900W	* FI G 4s		5	Pile.	Private Aid.	47/14
6115	VALLEJO YACHT CLUB LIGHT 2	* 38-06-16.600N 122-16-03.400W	FIR 4s		5	Pile.	Private Aid.	47/14
7607	WEST SACRAMENTO CEMEX DOCK LIGHT A						Remove from list.	47/14
7607.1	WEST SACRAMENTO CEMEX DOCK LIGHT B						* Remove from list.	47/14
7607.2	WEST SACRAMENTO CEMEX DOCK LIGHT C						* Remove from list.	47/14
84	<i>Scripps Waverider Lighted Research Buoy 167</i>						* Remove from list.	46/14
85	<i>Scripps Offshore CCE-1 Research Buoy SIO</i>	33-30-55.000N 122-30-18.400W	FI Y 4s			Yellow disk with skeleton tower.	Private Aid.	46/14
345	<i>San Francisco South Traffic Lane Lighted Bell Buoy 5</i>	37-39-00.000N 122-41-42.000W	* FI Y 4s		5	Yellow.		45/14
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
375	<i>San Francisco North Traffic Lane Lighted Bell Buoy N</i>	37-48-02.000N 122-47-55.000W	Fl Y 4s			5 Yellow.	44/14	
455	<i>Noyo Approach Lighted Whistle Buoy NA</i>	39-25-55.071N 123-49-59.493W	Mo (A) W			4 Red and white stripes with red spherical topmark.	44/14	
485	<i>Blunts Reef Lighted Bell Buoy 40</i>	40-26-45.035N 124-29-55.236W	FIR 2.5s			5 Red.	44/14	
3145	LOS ANGELES MAIN CHANNEL LIGHT 12	33-43-18.510N 118-16-03.522W	FIR 2.5s	20	5	TR on post.	HORN: 1 blast ev 15s (2s bl). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.	44/14
4160	<i>San Francisco Main Ship Channel Lighted Bell Buoy 1</i>	37-46-11.157N 122-37-55.637W	Iso G 6s			5 Green.	44/14	
160	<i>Scripps Waverider CDIP Lighted Research Buoy 213</i>	33-34-38.760N 118-10-53.640W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	43/14
2845	LONG BEACH BREAKWATER EAST END LIGHT 1	33-43-23.466N 118-08-13.336W	Fl G 6s	43	5	SG on skeleton tower.	HORN: 1 blast ev 15s (2s bl). The sound signal can be activated by keying VHF-FM Ch. 81A 5 times within 10 seconds.	42/14
5898	<i>Anchorage 19 Lighted Mooring Buoy A</i>						Remove from list.	41/14
140	<b>Point Fermin Light</b>	33-42-17.298N 118-17-38.358W	Fl W 10s	120	13	On pile. 13		40/14
183	<i>Scripps Waverider Lighted Research CDIP Buoy 212</i>	33-57-11.000N 119-15-24.000W	Fl (5)Y 20s			Yellow sphere with whip antenna.	Private Aid.	40/14
490 8130	<i>Humboldt Bay Entrance Lighted Whistle Buoy HB</i>	40-46-24.073N 124-16-13.558W	Mo (A) W			4 Red and white stripes with red spherical topmark.		40/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
8080	ALBION RIVER LIGHT 1	39-13-41.400N 123-46-26.604W	Q G		35	3	SG on pile.	HORN: 1 blast ev 30s (3s bl) Operates by keying microphone five times on VHF-FM Chan. 81A	40/14
8130 490	<i>Humboldt Bay Entrance Lighted Whistle Buoy HB</i>	40-46-24.073N 124-16-13.558W	Mo (A) W			4	* Red and white stripes with red spherical topmark.		40/14
125 3012	<b>Long Beach Light</b>	33-43-23.484N 118-11-12.540W	Fl W 5s		50	14	NG on a white building with columnar base. 42	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl), operates continuously.	39/14
3012 125	<b>Long Beach Light</b>	33-43-23.484N 118-11-12.540W	Fl W 5s		50	14	NG on a white building with columnar base. 42	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl), operates continuously.	39/14
2595	<i>NAVFAC Lighted Research Buoy</i>	33-17-50.000N 119-31-16.000W	Fl (5)Y 20s			*	Yellow	Navy Maintained. Private Aid.	38/14
* 1596	* Shelter Island Cove Buoy 5	* 32-42-31.000N 117-14-10.000W	*		*	*	Green can.	Private Aid.	* 37/14
* 1597	* <i>Shelter Island Cove Lighted Buoy 6</i>	* 32-42-31.000N 117-14-08.000W	* Fl R 4s		*	*	Red.	Private Aid.	* 37/14
* 1598	* Shelter Island Cove Buoy 7	* 32-42-38.000N 117-14-09.000W	*		*	*	Green can.	Private Aid.	* 37/14
* 1599	* Shelter Island Cove Buoy 8	* 32-42-37.000N 117-14-06.000W	*		*	*	Red nun.	Private Aid.	* 37/14
* 4673	* OAKLAND INNER HARBOR LIGHT 7	*	*		*	*	*	Remove from list.	* 37/14
<b>NO CORRECTIONS THIS WEEK</b>									<b>36/14</b>
405	Fort Ross Bell Buoy 32							Remove from list.	35/14
500	<i>NOAA Environmental Lighted Buoy 46022</i>	40-45-37.341N 124-34-29.171W	Fl (4)Y 20s				Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	35/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
4205	<i>Duxbury Reef Lighted Buoy 1DR</i>	37-51-36.588N 122-41-43.424W	FIG 6s			5 Green.	34/14
4965	* SAN BRUNO SHOAL CHANNEL LIGHT 5	37-38-38.623N 122-18-47.436W	FIG 4s		15	3 SG on Dolphin.	HORN: 1 blast ev 10s (1s bl), operates continuously from Oct. 1 to Apr. 1. 33/14
6640	* NEW YORK SLOUGH LIGHT 10	38-01-37.035N 121-50-47.271W	FIR 4s		15	3 TR on pile.	33/14
7255	* SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 19	38-06-47.435N 121-42-36.793W	FIG 4s		15	4 SG on pile.*	Ra ref. 33/14
8410	* Lake Tahoe Buoy A	39-13-10.277N 120-00-16.151W				White can with orange bands.	33/14
* <b>NO CORRECTIONS THIS WEEK</b>							<b>32/14</b>
2288	<i>Scripps Waverider Lighted Research Buoy 093</i>	32-44-48.000N 117-22-11.400W	FI (S)Y 20s			Yellow sphere with whip antenna.	Private Aid. 31/14
5855	* SAN RAFAEL CREEK LIGHT 6	37-58-07.010N 122-29-21.996W	FIR 4s		16	3 TR on pile.	Ra ref. 31/14
7065	* STOCKTON CHANNEL LIGHT 28	37-59-34.834N 121-25-57.325W	FIR 4s		15	3 TR on pile.	31/14
7095	* STOCKTON CHANNEL LIGHT 34	37-59-36.598N 121-24-49.870W	FIR 4s		25	4 TR on pile.	31/14
* 							

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3750	SANTA BARBARA HARBOR BREAKWATER LIGHT	34-24-17.364N 119-41-16.260W	Fl W 2.5s	35	8	NG on pile.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). The sound signal can be activated upon request to the Santa Barbara Harbor Patrol.	30/14
8445	Lake Tahoe Buoy K		*	*	*		Remove from list.	30/14
8450	Lake Tahoe Buoy L						Remove from list.	30/14
8455	Lake Tahoe Buoy M						Remove from list.	30/14
8460	Lake Tahoe Buoy N						Remove from list.	30/14
3750	SANTA BARBARA HARBOR BREAKWATER LIGHT	34-24-17.364N 119-41-16.260W	Fl R 6s	25	5	NG on pile.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). The sound signal can be activated upon request to the Santa Barbara Harbor Patrol.	29/14
3765	SANTA BARBARA HARBOR LIGHT 4	34-24-28.998N 119-41-06.300W	Fl R 6s	25	5	TR on post.		29/14
<b>NO CORRECTIONS THIS WEEK</b>								<b>28/14</b>
<b>NO CORRECTIONS THIS WEEK</b>								<b>27/14</b>
<b>NO CORRECTIONS THIS WEEK</b>								<b>26/14</b>
3145	LOS ANGELES MAIN CHANNEL LIGHT 12	33-43-18.510N 118-16-03.522W	Fl R 2.5s	20	5	TR on post.	HORN: 1 blast ev 15s (2s bl). The sound signal can be activated by keying VHF-FM Ch. 81A or 83A 5 times within 10 seconds.	25/14
3165	LOS ANGELES EAST BASIN CHANNEL LIGHT 1	33-45-10.914N 118-16-02.466W	Fl G 4s	34	5	SG on pile.	*	25/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
7315	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 30	38-09-11.782N 121-41-13.152W	FIR 4s	15	4	TR on pile.	Ra ref.	24/14
7390	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 46	38-13-02.343N 121-40-07.912W	FIR 4s	25	4	TR on pile.		24/14
7605	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 84	38-33-31.376N 121-34-02.239W	FIR 4s	22	4	TR on pile.		24/14
7615	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 86	38-33-37.868N 121-33-23.391W	FIR 4s	22	4	TR on pile.		24/14
82	<i>NOAA Environmental Lighted Buoy 46047</i>	32-24-02.317N 119-32-18.155W	Fl(4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	23/14
210	<b>Point Arguello Light</b>	34-34-37.440N 120-38-50.094W	Fl W 15s	97	9	On single post, 20		23/14
3007	<i>Long Beach Channel Pier J Lighted Buoy 2</i>	33-44-26.490N 118-10-37.630W	FIR 4s		4	Red.		23/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3165	LOS ANGELES EAST BASIN CHANNEL LIGHT 1	33-45-10.914N 118-16-02.466W	FIG 4s		34	5	SG on pile.  HORN: 1 blast ev 30s (3s bl).	23/14
3856	<i>Morro Bay Channel Lighted Buoy 4A</i>	35-21-56.169N 120-51-57.260W	FIR 4s			3	Red.  Buoy may be frequently relocated due to changing conditions.	23/14
5685	RICHMOND HARBOR CHANNEL LIGHT 4	* 37-54-22.052N 122-24-03.319W	Q R		15	3	TR on pile.  Ra ref.	23/14
6920	STOCKTON CHANNEL LIGHT 3	* 38-03-22.423N 121-31-50.425W	FIG 4s		30	4	SG on pile.	23/14
7240	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 16	* 38-05-18.341N 121-44-29.548W	FIR 4s		15	4	TR on pile.  Ra ref.	23/14
7345	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 36A	* 38-10-19.384N 121-40-16.788W	FIR 4s		15	3	TR on pile.	23/14
3785	<i>Santa Barbara Harbor Lighted Buoy 11</i>	* 34-24-30.822N 119-41-16.213W	Q G			3	Green.  Buoy may be frequently relocated due to changing conditions.	22/14
4565	PIER 1 NORTH LIGHT	*					Remove from list.	22/14
4570	PIER 1 SOUTH LIGHT						* Remove from list.	22/14
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
81	NOAA Environmental Lighted Buoy 46086	32-30-25.059N 118-02-10.030W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	21/14	
		*							
181.6	NOAA Environmental Lighted Buoy 46069	33-39-48.504N 120-13-37.918W	Fl (4)Y 20s			Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	21/14	
		*							
2310	OCEANSIDE LIGHT 4	33-12-26.076N 117-23-59.076W	Q R		26	4	TR on pile.	21/14	
		*							
2325	OCEANSIDE LIGHT 7	33-12-31.524N 117-23-45.030W	Fl G 4s		28	4	SG on pile.	21/14	
		*							
4550	PIER 27-29 WEST LIGHT						Remove from list.	21/14	
							*		
4555	PIER 27-29 EAST LIGHT						Remove from list.	21/14	
							*		
7955	BODEGA HARBOR CHANNEL LIGHT 36	38-19-52.522N 123-03-07.420W	Q R			3	TR on pile.	21/14	
		*							
390	NOAA Environmental Buoy 46013	38-14-30.000N 123-18-00.000W	Fl (4)Y 20s			4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.	20/14
		*							
410	Saunders Reef Lighted Gong Buoy 34					*	*	Remove from list.	20/14
							*		
475	Punta Gorda Lighted Whistle Buoy 38							Remove from list.	20/14
							*		
5990	PETALUMA RIVER ENTRANCE CHANNEL LIGHT 4	38-03-31.032N 122-25-26.256W	Fl R 4s		15	3	TR on pile.	Ra ref.	20/14
		*							
6025	Petaluma River Entrance Channel Daybeacon 11	38-05-49.539N 122-26-57.395W					SG on pile.	20/14	
		*							

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
6040	PETALUMA RIVER ENTRANCE CHANNEL LIGHT 14	38-06-18.666N 122-27-16.850W	FIR 4s	20	3	TR on pile.		20/14
6050	PETALUMA RIVER ENTRANCE CHANNEL LIGHT 16	38-06-36.462N 122-27-56.531W	FIR 4s	12	3	TR on pile.	Ra ref.	20/14
6060	PETALUMA RIVER ENTRANCE CHANNEL LIGHT 18	38-06-40.342N 122-28-26.199W	FIR 6s	15	3	TR on pile.	Ra ref.	20/14
7315	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 30	38-09-11.782N 121-41-13.152W	FIR 4s	15	3	TR on pile.	Ra ref.	20/14
8165	HUMBOLDT BAY ENTRANCE RANGE FRONT LIGHT	40-45-05.517N 124-13-35.514W	Q G	22		KRW on Dolphin.	Visible 1.5° each side of the rangeline. Lighted throughout 24 hours.	20/14
8170	HUMBOLDT BAY ENTRANCE RANGE REAR LIGHT  269 yards, 140.3° from front light.	40-44-59.395N 124-13-28.821W	Oc G 4s	41		KRW on Dolphin.	Visible 1.5° each side of the rangeline. Lighted throughout 24 hours.	20/14
8210	HUMBOLDT BAY LIGHT 12	40-45-54.186N 124-12-51.918W	FIR 6s	15	4	TR on Dolphin.	Ra ref.	20/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
182	<i>Chevron Shellmound Lighted Marker Buoy HO</i>						Remove from list. 19/14 *
192	<i>Chevron Shellmound Lighted Marker Buoy HE</i>						Remove from list. 19/14 *
193	<i>Chevron Shellmound Lighted Marker Buoy HI</i>						Remove from list. 19/14 *
194	<i>Chevron Shellmound Lighted Marker Buoy HA</i>						Remove from list. 19/14 *
2841	ALAMITOS BAY BASIN 1 LIGHT 1						Remove from list. 19/14 *
2842	ALAMITOS BAY BASIN 1 LIGHT 2						Remove from list. 19/14 *
3460	MARINA DEL REY LIGHT 4	33-57-37.882N 118-27-36.781W	FI R 4s	45	4	TR on post.	19/14 *
8140	HUMBOLDT BAY APPROACH RANGE FRONT LIGHT	40-45-52.600N 124-13-53.338W	Q W	39		KRW on Dolphin.	Visible 4° each side of the rangeline. Horn: 2 Blasts ev 20s (2s bl-2s si- 2s bl-14s si). Light and Horn operate throughout 24 hours. 19/14 *
3162.1	LONG BEACH FIREBOAT PIER D LIGHT A						Remove from list. 18/14 *
3162.2	LONG BEACH FIREBOAT PIER D LIGHT B						Remove from list. 18/14 *
3700	VENTURA MARINA SOUTH JETTY LIGHT 6	34-14-46.362N 119-16-12.918W	FI R 4s	26	5	TR on pile.	The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 10s (1s bl). 17/14
4240	<i>Four Fathom Bank Lighted Bell Buoy</i>	37-48-44.419N 122-32-28.477W	FI (2+1)R 6s		4	Red and green bands.	17/14 *
4490	PIER 45 EAST LIGHT						Remove from list. 17/14 *
4495	PIER 45 WEST LIGHT						Remove from list. 17/14 *

NO CORRECTIONS THIS WEEK

16/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
3640	CHANNEL ISLANDS HARBOR SOUTH JETTY LIGHT 2	34-09-21.714N 119-13-38.616W	FIR 2.5s	35	5	TR on post.	HORN: 1 blast ev 15s (1s bl). The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16.	15/14
4829	SAN LEANDRO MARINA CHANNEL DIRECTIONAL LIGHT	37-41-43.234N 122-11-29.147W	FWRG (R & G Sectors)	19		On pile. * W 13 G 10 R 10	Red from 045.5° to 046.5°, white from 046.5° to 047°, green from 047° to 048°.	15/14
10 1485	San Diego Bay Approach Lighted Whistle Buoy SD	32-37-20.192N 117-14-45.128W	Mo (A) W *		6	Red and white stripes with red spherical topmark.	RACON: M ( - - ) AIS MMSI: 993692029	14/14
4480.9	Anchorage 6 Lighted Mooring Buoy J						Remove from list. *	14/14
4481	Anchorage 6 Lighted Mooring Buoy K						Remove from list. *	14/14
6090	Mare Island Strait Lighted Buoy 1	38-04-15.528N 122-14-51.006W	FIG 2.5s		4	Green	* 14/14	
4421	San Francisco-Oakland Bay Bridge Pier A V-AIS	37-47-26.683N 122-23-08.891W					Virtual AIS MMSI: 993692024 *	13/14
*	*	*	*	*	*	*	*	*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
4427	San Francisco-Oakland Bay Bridge Pier B V-AIS	37-47-44.084N 122-22-50.253W					Virtual AIS MMSI: 993692025	13/14
*	*	*	*	*	*	*	*	
4441	San Francisco-Oakland Bay Bridge Pier C V-AIS	37-47-53.463N 122-22-40.208W					Virtual AIS MMSI: 993692026	13/14
*	*	*	*	*	*	*	*	
4447	San Francisco-Oakland Bay Bridge Pier D V-AIS	37-48-02.839N 122-22-30.162W					Virtual AIS MMSI: 993692027	13/14
*	*	*	*	*	*	*	*	
4462	San Francisco-Oakland Bay Bridge Pier E V-AIS	37-48-20.240N 122-22-11.519W					Virtual AIS MMSI: 993692028	13/14
*	*	*	*	*	*	*	*	
6965	STOCKTON CHANNEL RANGE C FRONT LIGHT	38-02-42.029N 121-30-08.506W	Q W		22	KRW on Dolphin.	Visible all around; higher intensity on rangeline.	13/14
6970	STOCKTON CHANNEL RANGE C REAR LIGHT  310 yards, 306° from front light.	38-02-47.476N 121-30-17.863W	Iso W 6s		39	KRW on Dolphin.	Visible all around; higher intensity on rangeline.	13/14
7000	STOCKTON CHANNEL RANGE D REAR LIGHT  603 yards, 330° from front light.	38-01-48.705N 121-28-17.200W	Iso W 6s		40	KRW on Dolphin.	Visible all around; higher intensity on rangeline.	13/14
7010	STOCKTON CHANNEL RANGE E REAR LIGHT  166 yards, 126° from front light.	38-01-21.391N 121-27-50.366W	Iso G 6s		35	KRW on Dolphin.	Visible all around; higher intensity on the rangeline.	13/14
7095	STOCKTON CHANNEL LIGHT 34	37-59-36.598N 121-24-49.870W	FIR 4s		22	4 TR on pile.		13/14
7405	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 49	38-13-42.257N 121-40-32.574W	Q G		15	3 SG on Dolphin.		13/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
210	<b>Point Arguello Light</b>	34-34-37.440N 120-38-50.094W	Fl W 15s	97	10	On single post. 20		12/14
					*			
360	<i>San Francisco Approach Lighted Whistle Buoy SF</i>	37-44-59.749N 122-41-33.940W	Mo (A) W		5	Red and white stripes with spherical topmark.	RACON: M ( - - ) AIS MMSI: 993692001	12/14
							*	
365 4245	<b>Mile Rocks Light</b>	37-47-34.159N 122-30-37.350W	Fl W 5s	49	14	On cylindrical structure with white and orange bands. 49	HORN: 1 blast ev 30s (2s bl), operates continuously. AIS MMSI: 993692002	12/14
							*	
1821	San Diego Safety Zone Northwest Buoy						Remove from list.	12/14
							*	
4245 365	<b>Mile Rocks Light</b>	37-47-34.159N 122-30-37.350W	Fl W 5s	49	14	On cylindrical structure with white and orange bands. 49	HORN: 1 blast ev 30s (2s bl), operates continuously. AIS MMSI: 993692002	12/14
							*	
7275	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 23	38-07-28.595N 121-41-57.419W	Fl G 6s	15	4	SG on pile.	Ra ref.	12/14

\*

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
240 3835	<b>Morro Bay West Breakwater Light</b>	35-21-46.457N 120-52-11.297W	Fl W 4s		36 9	White column. 30	Light obscured from 176° to 207°. HORN: 1 blast ev 30s (3s bl), operates continuously.	11/14
346	San Francisco Approach Inbound Southern TSS V- AIS 1S	37-39-10.980N 122-39-47.220W					Virtual AIS MMSI: 993692009	11/14
*	*	*	*	*	*	*	*	
346.5	San Francisco Approach Inbound Southern TSS V- AIS 2S	37-30-00.000N 122-39-54.000W					Virtual AIS MMSI: 993692010	11/14
*	*	*	*	*	*	*	*	
347	San Francisco Approach Inbound VTS Southern Limit TSS V-AIS 3S	37-18-24.000N 122-39-46.020W					Virtual AIS MMSI: 993692011	11/14
*	*	*	*	*	*	*	*	
347.5	San Francisco Approach Outbound VTS Southern Limit TSS V-AIS 4S	37-18-48.000N 122-43-37.980W					Virtual AIS MMSI: 993692017	11/14
*	*	*	*	*	*	*	*	
348	San Francisco Approach Outbound Southern TSS V- AIS 5S	37-30-00.000N 122-43-37.980W					Virtual AIS MMSI: 993692018	11/14
*	*	*	*	*	*	*	*	
348.5	San Francisco Approach Outbound Southern TSS V- AIS 6S	37-39-16.020N 122-43-37.980W					Virtual AIS MMSI: 993692019	11/14
*	*	*	*	*	*	*	*	
351	San Francisco Approach Inbound Western TSS V- AIS 1W	37-40-43.980N 122-46-46.980W					Virtual AIS MMSI: 993692006	11/14
*	*	*	*	*	*	*	*	
351.5	San Francisco Approach Inbound Western TSS V- AIS 2W	37-32-22.020N 123-02-46.980W					Virtual AIS MMSI: 993692007	11/14
*	*	*	*	*	*	*	*	
352	San Francisco Approach Inbound VTS Western Limit TSS V-AIS 3W	37-29-26.220N 123-10-42.180W					Virtual AIS MMSI: 993692008	11/14
*	*	*	*	*	*	*	*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
353	San Francisco Approach Outbound Exiting Western TSS V-AIS 5W	37-33-57.000N 123-04-07.980W					Virtual AIS MMSI: 993692015	11/14	
*	*	*	*	*	*	*	*		
353.5	San Francisco Approach Outbound Western TSS V- AIS 6W	37-42-21.000N 122-48-16.020W					Virtual AIS MMSI: 993692016	11/14	
*	*	*	*	*	*	*	*		
376	San Francisco Approach Inbound Northern TSS V- AIS 1N	37-47-10.980N 122-48-31.980W					Virtual AIS MMSI: 993692003	11/14	
*	*	*	*	*	*	*	*		
376.5	San Francisco Approach Inbound Northern TSS V- AIS 2N	37-57-16.980N 123-10-43.980W					Virtual AIS MMSI: 993692004	11/14	
*	*	*	*	*	*	*	*		
377	San Francisco Approach Inbound VTS Northern Limit TSS V-AIS 3N	38-07-28.980N 123-21-34.980W					Virtual AIS MMSI: 993692005	11/14	
*	*	*	*	*	*	*	*		
377.5	San Francisco Approach Outbound VTS Northern Limit TSS V-AIS 4N	38-09-37.020N 123-20-33.000W					Virtual AIS MMSI: 993692012	11/14	
*	*	*	*	*	*	*	*		
378	San Francisco Approach Outbound Northern TSS V- AIS 5N	37-58-49.980N 123-09-04.980W					Virtual AIS MMSI: 993692013	11/14	
*	*	*	*	*	*	*	*		
378.5	San Francisco Approach Outbound Northern TSS V- AIS 6N	37-48-54.000N 122-47-13.020W					Virtual AIS MMSI: 993692014	11/14	
*	*	*	*	*	*	*	*		
2450	NEWPORT BAY CHANNEL LIGHT 5	33-35-56.114N 117-52-57.746W	Fl G 2.5s		12	5	SG on pile.	11/14	
		*							
2465	NEWPORT BAY CHANNEL LIGHT 10	33-36-14.250N 117-53-47.904W	Fl R 2.5s		24	5	TR on Dolphin.	11/14	
							*		
2470	NEWPORT BAY CHANNEL LIGHT 11	33-36-29.121N 117-54-15.328W	Fl G 4s		15	5	SG on pile.	11/14	
		*							
3835 240	<b>Morro Bay West Breakwater Light</b>	35-21-46.457N 120-52-11.297W	Fl W 4s		36	9	White column. 30	Light obscured from 176° to 207°. HORN: 1 blast ev 30s (3s bl), operates continuously.	11/14
						*			

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
385	<b>Point Reyes Light</b>	37-59-44.193N 123-01-23.358W	Fl W 5s	265	14	Cylindrical structure on top of square building. 37	HORN: 1 blast ev 30s (3s bl), operates continuously.	10/14
							*	
3630	CHANNEL ISLANDS HARBOR BREAKWATER SOUTH LIGHT 1	34-09-16.248N 119-13-49.170W	Fl G 6s	54	5	SG on pile.		10/14
						*		
3750	SANTA BARBARA HARBOR BREAKWATER LIGHT	34-24-17.364N 119-41-16.260W	Fl W 2.5s	35	8	NG on pile.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). The sound signal can be activated upon request to the Santa Barbara Harbor Patrol.	10/14
						*		
4330	<i>Harding Rock Lighted Buoy</i> <i>HR</i>	37-50-17.649N 122-26-45.524W	Fl (2+1)R 6s		5	Red and green bands.	RACON: K ( - . - ) AIS: MMSI 993692020	10/14
							*	
6185	NAPA RIVER RANGE FRONT LIGHT 14	38-12-20.332N 122-18-25.690W	Q W	15		KRW and TR on pile.	Visible all around: higher intensity on rangeline. Ra ref.	10/14
							*	
7555	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 74	38-30-22.482N 121-35-00.939W	Fl R 4s	22	4	TR on pile.		10/14
							*	
7450	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 57	38-18-24.246N 121-39-17.352W	Fl G 4s	23	4	SG on pile.		09/14
							*	
7540	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 72	38-28-25.290N 121-35-00.570W	Fl R 2.5s	23	4	KRW on pile; TR facing upstream.		09/14
							*	
7440	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 55	38-16-32.789N 121-39-43.735W	Fl G 4s	25	4	SG on pile.		08/14
							*	
7540	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL LIGHT 72	38-28-25.290N 121-35-00.570W	Fl R 2.5s	18	4	KRW on pile; TR facing upstream.		08/14
							*	

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
385	<b>Point Reyes Light</b>	37-59-44.193N 123-01-23.358W	Fl W 5s	265	14	Cylindrical structure on top of square building. 37	Emergency light of reduced intensity when main light is extinguished. HORN: 1 blast ev 30s (3s bl), operates continuously.	07/14
6280	AMORCO WHARF WEST LIGHT	38-02-03.715N 122-07-30.875W	F R	26	*	On post above dolphins.	BELL near center of Pier: 2 strokes ev 15s Private Aid.	07/14
7460	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE A FRONT LIGHT 59	38-20-00.825N 121-38-54.288W	Q W	26		KRW on pile; SG facing downstream.	Light changes to Q G when abeam proceeding upstream. Higher intensity on leading line.	07/14
7475	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE B FRONT LIGHT 61	38-20-31.184N 121-38-43.732W	Q W	27		KRW on pile; SG facing upstream.	Light changes to Q G when abeam proceeding downstream. Higher intensity on leading line.	07/14
7480	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE B REAR LIGHT	38-20-49.081N 121-38-39.465W	Iso W 6s	38		KRW on pile.	Visible 5° each side of rangeline.	07/14
	614 yards, 010.6° from front light.							
7525	SACRAMENTO RIVER DEEP WATER SHIP CHANNEL RANGE C FRONT LIGHT 70	38-28-10.356N 121-35-03.927W	Q W	21		KRW on pile; TR facing downstream.	Light changes to Q R when abeam proceeding upstream. Higher intensity W on leading line.	07/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
360	<i>San Francisco Approach Lighted Whistle Buoy SF</i>	37-44-59.749N 122-41-33.940W	Mo (A) W			5	Red and white stripes with spherical topmark.	RACON: M ( - - ) AIS: MMSI 993692001 (21)	06/14
365 4245	<b>Mile Rocks Light</b>	37-47-34.159N 122-30-37.350W	Fl W 5s	49	14	On cylindrical structure with white and orange bands. 49	HORN: 1 blast ev 30s (2s bl), operates continuously. AIS: MMSI 993692002 (21)	06/14	
3700	VENTURA MARINA SOUTH JETTY LIGHT 6	34-14-44.777N 119-16-01.218W	FIR 4s	26	5	TR on pile.	The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 10s (1s bl).	06/14	
3971.3	<i>Monterey Bay Special Purpose Buoy MY3</i>					*	Remove from list.	06/14	
3971.5	<i>Monterey Bay Special Purpose Buoy MY6</i>					*	Remove from list.	06/14	
3971.6	<i>Monterey Bay Special Purpose Buoy MY7</i>					*	Remove from list.	06/14	
4245 365	<b>Mile Rocks Light</b>	37-47-34.159N 122-30-37.350W	Fl W 5s	49	14	On cylindrical structure with white and orange bands. 49	HORN: 1 blast ev 30s (2s bl), operates continuously. AIS: MMSI 993692002 (21)	06/14	
6965	STOCKTON CHANNEL RANGE C FRONT LIGHT	38-02-42.029N 121-30-08.506W	Q W	22		KRW on pile.	Visible all around; higher intensity on rangeline.	06/14	
6970	STOCKTON CHANNEL RANGE C REAR LIGHT  310 yards, 306° from front light.	38-02-47.476N 121-30-17.863W	Iso W 6s	39		KRW on pile.	Visible all around; higher intensity on rangeline.	06/14	
3006	LONG BEACH HARBOR PIER J LIGHT J	33-43-58.782N 118-11-07.662W	Fl W 4s	32	5	NR on post.		05/14	
3024	LONG BEACH PIER F LIGHT F	33-44-25.338N 118-12-24.048W	Iso W 6s	25	5	NR on post.		05/14	
				*	*				

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
3335	REDONDO BEACH EAST JETTY LIGHT 2	33-50-30.678N 118-23-38.935W	FIR 4s	20	5	TR on post.	The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 1 blast ev 10s (1s bl). 04/14
3455	MARINA DEL REY LIGHT 3	33-57-46.101N 118-27-42.461W	FIG 4s	45	5	SG on post.	Obscured 151° to 331°. The sound signal can be activated upon request to the Coast Guard via VHF-FM Ch 16. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). 04/14
7085	STOCKTON CHANNEL LIGHT 32	37-59-40.927N 121-25-05.184W	FIR 4s	20	3	TR on pile.	04/14
250	Estero Bay Gong Buoy 18						Remove from list. 03/14
3775	<i>Santa Barbara Harbor Lighted Buoy 7</i>	34-24-29.592N 119-41-12.246W	FIG 6s		4	Green.	Buoy may be frequently relocated due to changing conditions. 03/14
3820.2	<i>Port San Luis Channel Lighted Buoy 5</i>	35-09-36.500N 120-44-51.000W	FIG 2.5s			Green.	Private Aid. 03/14
3930	Estero Bay Gong Buoy 18						Remove from list. 03/14
6140	Napa River Daybeacon 2	38-07-48.668N 122-16-44.636W				TR on pile.	03/14

Summary of corrections to Volume VI of the U.S. Coast Guard Light List for the 2014 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
1890	Glorietta Bay Channel Buoy 3						Remove from list.	02/14
1895	Glorietta Bay Channel Buoy 6						Remove from list.	02/14
3006	LONG BEACH HARBOR PIER J LIGHT J	33-43-58.782N 118-11-07.662W	Fl W 4s		26	8	NR on post.	02/14
3335	REDONDO BEACH EAST JETTY LIGHT 2	33-50-30.678N 118-23-38.935W	Fl R 4s		20	5	On post.	02/14
5675	RICHMOND HARBOR CHANNEL APPROACH RANGE REAR LIGHT  358 yards, 132.3° from front light.	37-53-55.558N 122-23-19.599W	Iso W 6s		36		KRW on Dolphin.	02/14
6434	POINT EDITH CROSSING RANGE REAR LIGHT  334 yards, 056.2° from front light.	38-04-00.594N 122-03-21.177W	Iso W 6s		30		KRW on Dolphin.	02/14
6475	ROE ISLAND CHANNEL RANGE REAR LIGHT  495 yards, 284.1° from front light.	38-04-03.908N 122-03-05.955W	Iso W 6s		36		KRW on Dolphin.	02/14
7940	BODEGA HARBOR CHANNEL LIGHT 33	38-19-48.893N 123-03-10.100W	Fl G 2.5s		13	3	SG on pile.	02/14
525	<b>Trinidad Head Light</b>	41-03-06.857N 124-09-05.184W	Oc W 4s		193	14	Light House 25	01/14
4945	SAN BRUNO SHOAL CHANNEL LIGHT 1	37-41-44.719N 122-20-21.954W	Fl G 4s		15	3	SG on Dolphin.	01/14
4965	SAN BRUNO SHOAL CHANNEL LIGHT 5	37-38-38.510N 122-18-47.506W	Fl G 4s		15	3	SG on Dolphin.	01/14
5245	REDWOOD CREEK LIGHT 15	37-31-03.529N 122-12-23.621W	Fl G 4s		15	4	SG on Dolphin.	01/14